


Radiation Therapy for **Brain Tumors**



The brain is a central organ that is crucial for controlling our neurologic function. This includes mood, memory, strength, sensation and coordination. Tumors in the brain take up space and push on the brain and can cause symptoms such as headaches, nausea, seizures, weakness, difficulty with speech and changes in vision or hearing. Many brain tumors have no symptoms and can only be found by imaging such as MRI. Once these tumors are found they are reviewed by a group of different cancer specialists to determine treatment options going forward.



ABOUT BRAIN TUMORS

There are two general types of brain tumors:

A **primary tumor** starts in the brain. It can be benign (less likely to grow and/or invade the normal functioning brain) or malignant (more likely to grow and/or invade the normal functioning brain). Primary tumors in the brain or spinal cord rarely spread to distant organs.

A **metastatic tumor** is caused by cancer elsewhere in the body that spreads to the brain. Metastatic brain tumors are always malignant and are much more common than primary brain tumors.

TREATING BRAIN TUMORS


If doctors determine that you have a brain tumor, the treatment options and prognosis are based on many factors including tumor type, location and size of the tumor, grade (how aggressive it appears), molecular characteristics of your tumor, your age and your overall health. Depending upon these and other factors surgery, radiation therapy, medical therapy (chemotherapy, targeted therapy or immunotherapy) or some combination may be treatment options.

Radiation Therapy

Radiation therapy is the careful use of high-energy X-rays or particles to safely and effectively treat brain tumors. Radiation works within tumor cells by damaging their ability to grow. Healthy cells near the tumor may be affected by radiation, but they are able to repair themselves in a way tumor cells cannot. Radiation therapy can be used after surgery, or in some cases, instead of surgery. Ask your oncologist if radiation therapy could be helpful for your treatment.

Surgery

For many brain tumors, surgery is an important part of treatment. A neurosurgeon may perform a surgical biopsy to determine what kind of tumor you have. Sometimes only a part of the tumor can be safely removed in order to preserve your quality of life and function, while other times all of the visible tumor can be safely removed. The extent of surgery is mainly based on the location of the tumor. Depending on your tumor, surgery may be the only treatment needed. In some cases, radiation is used instead of or after surgery



to lessen the chances of the tumor returning in the same place or growing in another part of the brain. Ask your surgeon what surgery is recommended for you.

Systemic Therapy

Anti-cancer drugs may be given in addition to radiation to make treatment more effective or can sometimes be used instead of radiation. These include chemotherapy, targeted therapies and immunotherapy. Chemotherapy may be given as a pill or through an intravenous (IV) line directly into your bloodstream on a set schedule. Chemotherapy can be given before, during or after radiation therapy. Targeted therapy works by aiming at certain markers on tumor cells. Immunotherapy utilizes the body's own immune system to recognize and attack tumors. The type of systemic therapy you receive may be dependent on the molecular characteristics of your tumor. Ask your medical oncologist or neuro-oncologist which medications may be best for you.

Anti-mitotic Therapy

For patients with high-grade primary brain tumors (glioblastoma multiforme or GBM) or primary brain tumors that come back after initial treatment, an external treatment device that delivers a low-voltage electric field around the tumor area may be part of your treatment plan. The tumor treatment fields (TTFs) made by this system prevent the growth of cancer cells and work in a different way than radiation and chemotherapy.

EXTERNAL BEAM RADIATION THERAPY

External beam radiation therapy usually involves a series of outpatient treatments using a linear accelerator, or linac. Similar to an X-ray, treatment X-rays cannot be seen or felt. Radiation does not travel throughout the body and is only directed to the treatment site. The only time radiation is present is during your treatment session while the machine is turned on and you will not be radioactive afterwards. Treatments are given daily, Monday to Friday and can be a single treatment to up to multiple consecutive weeks.

Before beginning treatment, you will be scheduled for a planning session, called a simulation, to map out your treatment area. Simulation involves a CT scan



which is performed while lying on a table, usually with aid of a form-fitting mask or a head frame to help the radiation therapist precisely position you for daily treatment. Your doctor will design an individualized treatment plan based on the results of the simulation scan together with other imaging studies you have completed including MRIs.

Different techniques can be used to give radiation for brain tumors. Radiation treatment plans are created to deliver precise doses of radiation to the areas of the brain at risk while avoiding normal organs. Tailoring each of the radiation beams to the patient's tumor allows coverage of the diseased cells while keeping radiation away from nearby organs, such as the eyes.

Intensity-modulated radiation therapy (IMRT) is a form of external beam therapy that further modifies the amount (intensity) and shape of the radiation within each of the radiation beams. At most centers, X-rays (photons) are used for treatment.

Image-guided radiation therapy (IGRT) can be used with any of these techniques. IGRT uses imaging (X-rays, CT and MRI scans) to verify that you are positioned correctly each day before the radiation beam turns on.

Hippocampus Avoiding IMRT (HA-IMRT) is an advanced form of radiation used for treatment of brain metastases (cancer that has spread from another part of the body to the brain). The hippocampus has been shown to be related to healing or preserving short-term memory after radiation to the brain. This type of treatment is commonly combined with a medicine called memantine. If your doctor has recommended whole brain radiation, you can ask whether hippocampal avoiding IMRT is appropriate in your case.

These more precise treatment techniques can be used if the tumor is in a sensitive part of the brain or if you have had radiation treatments in the past. Ask your radiation oncologist about which radiation technique is best for treating your tumor.



STEREOTACTIC RADIOSURGERY / RADIOTHERAPY

Stereotactic radiosurgery (SRS) and stereotactic radiotherapy (SRT)

are ultra-precise forms of external beam radiotherapy. In certain situations, a stereotactic form of radiation may be recommended by your radiation oncologist or neurosurgeon to be used in addition to regular radiation, on its own or possibly instead of surgery. Sometimes SRS/SRT requires the placement of a frame that attaches to the skull while others use a tight-fitting mask. The benefit of SRS/SRT is that the total radiation dose is delivered in one to five treatment sessions with very little radiation to the surrounding healthy tissue.



PROTON BEAM THERAPY

Proton beam therapy delivers radiation therapy using particles instead of an X-ray beam. The potential benefit of proton therapy is that there is little to no radiation dose beyond the treatment area. This means that your doctor may be able to decrease dose to the surrounding healthy brain, which could lead to fewer side effects during or after completion of radiotherapy. Proton therapy also may allow delivery of radiation a second time or a higher total dose of radiation for certain tumors. This treatment is not yet widely available throughout the United States.

CARING FOR YOURSELF DURING TREATMENT

Battling cancer is tough. You may have a lot to cope with. Ask your treatment team, family or friends for help.

- Get plenty of rest during treatment, and don't be afraid to ask for help.
- Ask your doctor questions about anything you are unsure of.
- Tell your doctor about any medications, vitamins or supplements you are taking to make sure they are safe to use during radiation therapy.
- Eat a balanced diet. If food tastes funny or if you're having trouble eating, tell your doctor, nurse or dietician.
- Treat the skin exposed to radiation with special care. Stay out of the sun and avoid hot or cold packs. Use lotions and ointments only after checking with your doctor or nurse. Skin toxicity is usually quite minimal for SRS.



↔ **Brain Tumors Possible Side Effects** ↗

↖ more likely

less likely ↗

*Larger bubbles show higher likelihood of occurrence. This list does not represent all of the possible side effects. Please talk to your doctors about your specific diagnosis.
 ** These side effects are all very uncommon



ABOUT THE RADIATION ONCOLOGY TEAM

Radiation oncologists are doctors who specialize in the use of radiation therapy as a treatment for cancer. Other members of the treatment team include radiation therapists, radiation oncology nurses, medical physicists, dosimetrists, social workers and nutritionists. For information on what each does or to find a radiation oncologist near you, visit www.rtanswers.org.

ABOUT ASTRO

The American Society for Radiation Oncology is the largest radiation oncology society in the world with more than 10,000 members who specialize in treating patients with radiation therapies. ASTRO is dedicated to improving patient care through education, clinical practice, advancement of science and advocacy. Visit www.astro.org for more information.

AMERICAN SOCIETY FOR RADIATION ONCOLOGY

251 18th Street South, 8th Floor, Arlington, VA 22202

Phone: 703-502-1550 • Fax: 703-502-7852

www.astro.org • www.rtanswers.org

